## 2014 Consumer Confidence Report River Pines PUD

We're pleased to present to you this year's annual Consumer Confidence Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is ground water from two wells located on the property. During the year 2012 Well #2 was not used and Well #6 was used as the primary drinking water source. Also, another source, the surface water from the south fork of the Consumnes River treated by slow sand filtration (SSF), was not used for drinking water in 2012.

If you have any questions about this report or concerning your water utility, please contact Greg Guina at (209) 245-6723.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Department of Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at 1-800-426-4791.

Contaminants that may be present in source water include:

- Microbiological contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturallyoccurring or be a result of oil and gas production and mining activities.

## Some people may be more vulnerable to

contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Espanol – (Spanish): Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

## WATER QUALITY DATA

River Pines PUD routinely monitors for constituents in your drinking water according to Federal and State laws. Tables 1, 2, 3, 4, & 5 list all of the drinking water contaminants that were detected above the DLR during the most recent sampling for Well #2 & Well #6. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The table does not include contaminants that were not detected by laboratory testing. Unless otherwise indicated, the data contained in this report are for the monitoring period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2014. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the results in this report, though representative, may be more than a year old.

#### TERMS USED IN THIS REPORT:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Primary Drinking Water Standards (PDWS)**: MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS):

MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

ND: not detectable at testing limit

**ppm**: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

**pCi/L**: picocuries per liter (a measure of radiation)

**Public Health Goal (PHG)**: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water

**Regulatory Action Level (AL)**: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**DLR**: Detection Limit for purposes of Reporting. The DLR is set by state regulation for each reportable analyte.

Table 1 – Sampling Results Showing The Detection Of Coliform Bacteria							
Microbiological Contaminants	Highest No. of detections	No. of months in violation	MCL	MCLG	Typical source of Bacteria		
Total Coliform Bacteria	(In a mo.) none	None	More than 1 sample in a month with a detection	0	Naturally present in the environment		
Fecal coliform or <i>E. coli</i>	(In the yr.) none	None	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform of <i>E.coli</i>	0	Human and animal fecal waste		

Water systems are required to meet a strict standard for coliform bacteria. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria. When coliform bacteria are found, special follow-up tests are done to determine if harmful bacteria are present in the water supply. If the standard is exceeded, the water supplier must notify the public. In 2014, River Pines PUD is pleased to inform you, no coliform bacteria were detected in any of the routine treated bi-monthly distribution system samples.

Table 2 – Sampling Results Showing The Detection Of Lead And Copper	
(Distribution System, Sampling Dates: 9/16/14)	

Lead and Copper (units)	No. of samples collected	90 <sup>th</sup> percentile level detected	No. Sites exceeding AL	AL	MCLG	Typical Source of Contamination
Lead (ppb)	5	4.2	None	15	2	Internal corrosion of household plumbing systems, erosion of natural deposits.
Copper (ppm)	5	0.34	None	1.3	0.17	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.

Note: 90th percentile level detected for 5 sites is the average of the 2 highest detections

**Lead** - If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. River Pines PUD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

Table 3 – Sampling Results For Sodium and Hardness								
Chemical or Constituent	Units	Well #6 5/8/14	Well #2 5/8/14	PHG	MCL	Typical Source of Contamination		
Sodium	ppm	6.7	20	none	none	Generally found in ground and surface water		
Hardness	ppm	202	107	none	none	Generally found in ground and surface water		

Table 4 - D	etectio	n Of Con	taminan	ts With A	Primary	Drink	ing Water Standard
Chemical or Constituent	Units	Violation Y/N	Well #6 5/8/14	Well #2 5/8/14	PHG	MCL	Typical Source of Contaminant
Inorganic Contamina	nts Rav	w Wells					
Nitrate (as nitrate, NO3)	ppm	N	7.1	13	45	45	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits

Table 4 cont Detection Of Contaminants With A Primary Drinking Water Standard								
Chemical or Constituent	Units	Violation Y/N	Average Level Detected	Range of Detections	PHG	MCL	Typical Source of Contaminant	
Radioactive Contami	nants	(Well #6 -	8/14/12)					
Gross Alpha Particles	pCi/l	N	11.6 <u>+</u> 0.516	7.0 – 18.3	0	15	Erosion of natural deposits	
Uranium	pCi/L	N	9.4	5.0 – 16.1	0.43	20	Erosion of natural deposits	
Disinfection Byprodu	icts (T	reated dis	tribution	water - san	npled qu	arterly	2014)	
Total trihalomethanes	ppb	N	15.8 highest running ave.	7.2 - 24	NA	80	By-product of drinking water chlorination	
Haloacetic Acids	ppb	N	12.9 highest running ave.	5.2 – 18	NA	60	By-product of drinking water disinfection	

Table 5 - Detection Of Contaminants With A <u>Secondary</u> Drinking Water Standard <sup>(a)</sup>								
Chemical or Constituent	Units	Violation Y/N	Well #6 5/08/14	Well #2 5/08/14	PHG	MCL	Typical Source of Contaminant	
Chloride	ppm	N	5.9	12	NA	500	Runoff/leaching from natural deposits; sea water influence	
Conductivity	umho/cm	N	400	287	NA	1600	Substances that form ions when in water; sea water influence	
Odor - Threshold	Units	N	1.0	1.0	NA	3	Naturally-occurring organic compounds	
Sulfate	ppm	N	6.0	11	NA	500	Runoff/leaching from natural deposits; industrial wastes	
Total Dissolved Solids	ppm	N	268	229	NA	1000	Runoff/leaching from natural deposits	
Turbidity	NTU	N	<0.10	0.30	NA	5	Soil runoff	

<sup>(</sup>a) There are no PHGs, MCLGs, or mandatory standard health effects language for constituents with secondary drinking water standards because secondary MCLs are set on the basis of aesthetics.

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-amillion chance of having the described health effect.

River Pines PUD is pleased to inform you, there were no violations to report in Tables 1, 2, 3, 4, or 5.

### For Systems Providing Ground Water as a Source of Drinking Water

Table 7 – Sampling Results Showing Fecal Indicator-Positive Ground Water Source Samples					
Microbiological Contaminants	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
E. coli	1	01/02/2013	0	(0)	Human and animal fecal waste

*E.coli* was detected in the raw well #6 sample taken in January 2, 2013. The Department of Public Health, Drinking Water Field Operations Branch, Stockton District Office, 31 E. Channel Street, Room 270, Stockton, California 95202 was notified and their instructions were to increase the amount of chlorine used in the treatment process. All treated water samples taken from the distribution system during the same time periods were free from *E.coli*.

# For Systems Providing Surface Water as a Source Of Drinking Water: (or Ground Water under the influence of Surface Water)

Table 8 - Sampling Results Showing Treatment Of Surface Water Sources					
Rosedale Filtration System / Chlorination					
Turbidity of the filtered water must:					
1 – Be less than or equal to 0.2 NTU in 95% of measurements in a month.					
2 – Not exceed 0.5 NTU at any time.					
100%					
0.30 NTU					
0					

<sup>(</sup>a) A required process intended to reduce the level of a contaminant in drinking water.

An assessment of the drinking water sources for River Pines' water system was completed in April 2001. The sources are considered most vulnerable to the following activities: recreational area surface water sources, historic gas stations, septic systems, and historic mining operations. A copy of the complete assessment is available at the Department of Public Health, Drinking Water Field Operations Branch, Stockton District Office, 31 E. Channel Street, Room 270, Stockton, California 95202 or at the River Pines PUD, P.O. Box 70 River Pines, CA 95675. You may request a summary of the assessment be sent to you by contacting Bhupinder Sahota, District Engineer, at (209) 948-3881, or River Pines PUD at (209) 245-6723.

If you have any questions about this report or concerning your water utility, please contact Greg Guina at (209) 245-6723.

Report prepared 2/25/2015 Sierra Foothill Laboratory, Inc., using *CCR Guidance for Water Suppliers* available at, http://www.cdph.ca.gov/certlic/drinkingwater/Pages/CCR.aspx, employing due diligence with instructions given. Data contained in this report are based on the analytical results generated by Sierra Foothill Laboratory and its subcontract laboratories.

<sup>(</sup>b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.